	Hits	Search Text	DBs
1	7568	ofdm and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1600	ofdm and normal$7 and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	45	ofdm and normal$7 and (estima$7 with converg$7) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	(700/28,53, 375/260,259,316,320,324,322,329, 340,377,261,262,224,227,228).ccl s. and (sequenc$7 with estimat$7 with (pil$3 and normal$7)) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	10	(sequenc$7 with estimat$7 with (pil$3 and normal$7)) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	0	(sequenc$7 with estimat$7 with from with (pil$3 and normal$7)) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	0	(sequenc$7 near2 estimat$7 near2 from near2 (pil$3 and normal$7)) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	79	ofdm and normal$7 and trellis and viterbi and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	9	ofdm and normal$7 and (estima$7 with converg$7) and viterbi and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	5	ofdm and normal$7 and ((trellis or viterbi) with fig$7) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	171	ofdm and normal$7 and trellis and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	17	ofdm and normal$7 and (estima$7 with converg$7) and trellis and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1	(700/28,53, 375/260,259,316,320,324,322,329, 340,377,261,262,224,227,228).ccl s. and (sequenc$7 with estimat$7 with (pil$3 and normal$7)) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	0	((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in. or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.)) and (ofdm and nois$7 and gauss$7 and equa$7).claims.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	0	((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in. or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.)) and (ofdm).clms.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
16	17	((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in. or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.)) and (ofdm).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	1	((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in. or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.)) and (ofdm and nois$7 and gauss$7 and equa$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	1	(700/28,53, 375/260,259,316,320,324,322,329, 340,377,261,262,224,227,228).ccls. and (sequenc$7 with estimat$7 with (pil$3 and normal$7)) and @ad<"20030421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	1	((LEE-JONG-HO.in. or CHUNG-JAE-HAK.in. or HWANG-CHAN-SOO.in. or NAM-SEUNG-HOON.in. or KWAK-DO-YOUNG.in. or HAN-JAE-CHOONG.in. or KIM-SEONG-CHEOL.in.) or (LEE-JONGHO.in. or CHUNG-JAEHAK.in. or HWANG-CHANSOO.in. or NAM-SEUNGHOON.in. or KWAK-DOYOUNG.in. or HAN-JAECHOONG.in. or KIM-SEONGCHEOL.in.) or (LEE-JONG-H.in. or CHUNG-JAE-H.in. or HWANG-CHAN-S.in. or NAM-SEUNG-H.in. or KWAK-DO-Y.in. or HAN-JAE-C.in. or KIM-SEONG-C.in.) or (LEE-JONG.in. or CHUNG-JAE.in. or HWANG-CHAN.in. or NAM-SEUNG.in. or KWAK-DO.in. or HAN-JAE.in. or KIM-SEONG.in.)) and (ofdm and nois$7 and gauss$7 and equa$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

IEEE *Xplore*
RELEASE 2.4

Welcome United States Patent and Trademark Office

Search Session History   BROWSE   SEARCH   IEEE XPLORE GUIDE

Edit an existing query or compose a
new query in the Search Query
Display.

Select a search number (#) to:

- Add a query to the Search Query
  Display
- Combine search queries using
  AND, OR, or NOT
- Delete a search
- Run a search

Thu, 20 Sep 2007, 12:54:55 PM EST

Search Query Display

Recent Search Queries

#1   ((((sequence <near/7> estimate <near/7> (pilot <and> normal)))<in>metadata))
        <and> (pyr >= 1950 <and> pyr <= 2003)

Help   Contact Us   Privac

© Copyright 2006 IE